


GEEK


v26011

G4


INSTALLATION GUIDE




■ Remove the power supply bracket, motherboard bracket and the HDD bracket / 移除側板, 電源支架, 主機板支架及硬碟支架





Power supply bracket



HDD/SSD bracket





Motherboard bracket




You must remove the PSU bracket, motherboard bracket, and HDD bracket first; otherwise, the power supply cannot be installed correctly.

一定要先移除電源支架、主機板支架及硬碟支架，否則無法正確安裝電源


■ Install the power supply bracket on power supply / 安裝電源供應器



If the power cord interferes with the switch, please adjust the power supply bracket. The bracket can be moved left or right.
如果電源線與開關有干涉，請調整電源支架，電源支架可以左右移動調整




■ Install the motherboard bracket and case fans (*Optional) / 安裝主板支架及機殼風扇(選擇性安裝)




Some fans have protruding blades that may prevent bottom intake installation. Please install these fans as exhaust (with blades facing inward).

有些風扇有凸出的葉片，可能無法作為底部進氣安裝，請將這些風扇安裝為排氣（葉片朝內）



4X




05

■ Install the motherboard / 安裝主機板



Connect the front panel connectors (Power SW, LED) to the motherboard before installing it into the chassis. 請先連接電源開關及 LED 接頭，再安裝主機板



06

■ Complete / 完成

